

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25027

Stream : Big Raccoon Creek

Applicant : Creek Side Acres
David Gilstrap
2711 East Collings Road
Rosedale, IN 47874-7271

Description : Two commercial use pole barns have been constructed on fill along the left (south) streambank. The structures measure 104' x 60' and 102' x 60'. Details of the project are contained in information and plans received at the Division of Water on October 7, 2008.

Location : 3200 East Hawkins Road
at Bridgeton, Raccoon Township, Parke County
NW¼, Section 22, T 14N, R 7W, Catlin Quadrangle
Quad Code: 3908762

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-25041

Stream : East Fork White River

Applicant : Griffin Industries Inc
James Hollenbaugh
345 Water Street
Columbus, IN 47201-6771

Description : A 24' by 58' commercial office building will be constructed on a block wall foundation. Details of the project are contained in information and plans received at the Division of Water on October 20, 2008, November 18, 2008 and December 1, 2008.

Location : Beginning 3200' south of 2nd St & 250' of the east bank of the East Fork of the White River
near Columbus, Columbus Township, Bartholomew County
SW¼, Section 25, T 9N, R 5E, Columbus Quadrangle
Quad Code: 3908528
UTM Coordinates: Downstream 4338579 North, 593427 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25048
- Stream : Ohio River
- Applicant : Glen Wilhoit
5755 Juvene Way
Cincinnati, OH 45233-4728
- Description : A proposed 25' by 3' walkway will extend perpendicular to the shore line and connect to a 25' by 10' floating dock which will lie parallel to the shore line. The proposed dock will be anchored to the shore by two (2) cables and two (2) iron pipe dead man poles. Details of the project are contained in information and plans received at the Division of Water on October 20, 2008 and October 27, 2008.
- Location : Along the north (right) bank approximately 1150' upstream from the Tucker Run confluence
near Five Points, Craig Township, Switzerland County
NW¼, SW¼, SW¼, Section 1, T 1N, R 4W, Carrollton, KY-IN Quadrangle
Quad Code: 3808562
UTM Coordinates: Downstream 4283840 North, 658737 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10
- Application # : FW-25055
- Stream : Falling Run
- Applicant : City of New Albany
Douglas B England
311 Hauss Square
New Albany, IN 47150-3570
- Description : The existing bridge will be replaced with a new structure on essentially the same alignment to improve traffic flow. The abutments and piers will be skewed 20 degrees to align with the streamflow. The existing structure will be completely removed. Details of the project are contained in information and plans received at the Division of Water on October 31, 2008.
- Location : Bridge No. 503; at the East Daisy Lane stream crossing
at New Albany, New Albany Township, Floyd County
NE¼, NW¼, SE¼, Section 27, T 2S, R 6E, New Albany, IN-KY Quadrangle
Quad Code: 3808537
UTM Coordinates: Downstream 4240873 North, 602070 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25056

Stream : Elkhart River

Applicant : Norfolk Southern Corporation
Ruth Brown
1200 Peachtree Street NE, Box 7-142
Atlanta, GA 30309-3579

Description : Three masonry piers for an existing substructure of the two track, three span railroad bridge will be repaired. Each span is approximately 30'-4". The Elkhart River flows between pier one and two. The water flow will be held back with sheet piling and cast-in-place concrete will encase each pier and pedestal. The abutments, piers, and tracks will remain in the same location. Details of the project are contained in information received electronically at the Division of Water on November 5, 2008 and in plans and information received at the Division of Water on November 21, 2008 and December 1, 2008.

Location : Located approximately 2000' east of the Penn Central and County Road 600 West intersection
DOWNSTREAM: near Ligonier, Elkhart Township, Noble County
NE¼, SE¼, NW¼, Section 30, T 35N, R 9E, Ligonier Quadrangle
Quad Code: 4108545
UTM Coordinates: Downstream 4591094 North, 622674 East
UPSTREAM:
UTM Coordinates: Upstream 4591127 North, 622650 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25060

Stream : Short Creek

Applicant : Michel Homestead Farm Inc
Gene Michel
PO Box 318
Santa Claus, IN 47579-0318

Description : Approximate 8.4 acre area will be cleared of trees and vegetation and converted to farm field. Details of the project are contained in information and plans received at the Division of Water on November 5, 2008 and November 26, 2008.

Location : beginning approximately 3520' upstream of the US 231 stream crossing and extending 500' south and 675' west
near Huntingburg, Cass Township, Dubois County
NW¼, NW¼, Section 16, T 3S, R 5W, Huntingburg Quadrangle
Quad Code: 3808638
UTM Coordinates: Downstream 4234782 North, 502145 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-25066

Stream : Hogan Creek

Applicant : Consolidated Grain and Barge Company
Terry Ham
210 George Street
Aurora, IN 47001-1401

Description : Approximately 1100 tons of fill material consisting of aggregate and clay will be placed on an existing unpaved storage site for purpose of raising, leveling, and paving of the site. Details of the project are contained in information and plans received at the Division of Water on November 5, 2008.

Location : Beginning approximately 215' east and 565' south of the intersection of George Street and State Route 50 and extending 230' southeast and 120' southwest
near Aurora, Center Township, Dearborn County
Section 32, T 5N, R 1W, Aurora, IN-KY Quadrangle
Quad Code: 3908418
UTM Coordinates: Downstream 4325301 North, 681903 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25068

Stream : Ohio River

Applicant : Vectren Power Supply
Mark Wannemueller
PO Box
Evansville, IN 47712-0209

Description : Approximately 900' of a 16" diameter enclosed pipe conveyor system with an enclosed loading and unloading system will be constructed in the floodway to transport dry materials from a storage facility to barges on the river. There is an existing 40' diameter river cell on the bank of the river that will be used for the loading system. There are two existing mooring dolphins that will be used during the loading operation. Trees will be removed. Details of the project are contained in information and plans received at the Division of Water on November 7, 2008.

Location : Located in the north (right) overbank, approximately 350' upstream of an unnamed tributary, at river mile 817
near West Franklin, Marrs Township, Posey County
W½, SW¼, Section 24, T 7S, R 12W, West Franklin, IN-KY Quadrangle
Quad Code: 3708786
UTM Coordinates: Downstream 4194172 North, 436939 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25070

Stream : Salamonie River

Applicant : Salamonie Reservoir
Justin L Harrington
9214 West Lost Bridge West
Andrews, IN 46702-9731

Description : Two fish attractors, approximately 5' apart from each other, will be installed at 5 different locations to enhance fish habitat in the Salamonie River. The structures' dimensions are 6' long by 4' wide by 4' tall. The fish-habitat structures will be placed at or below 720' in elevation and no parts of the structures will be any shallower than 6'. The central pipes will be partially filled with concrete to help keep the structures in place. Details of the project are contained in information and plans received at the Division of Water on November 7, 2008 and November 24, 2008.

Location : Salamonie River/Reservoir
DOWNSTREAM: near Andrews, Polk Township, Huntington County
S½, SW¼, Section 22, T 27N, R 8E, Lagro Quadrangle
Quad Code: 4008576
UTM Coordinates: Downstream 4517047 North, 612498 East
UPSTREAM: near Lagro, Lagro Township, Wabash County
SE¼, NW¼, NE¼, Section 18, T 27N, R 8E, Lagro Quadrangle
Quad Code: 4008576
UTM Coordinates: Upstream 4517047 North, 612498 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25071

Stream : Eagle Creek

Applicant : Town of Zionsville
Waste Water Treatment Plant
Dennis Mackey
855 Starkey Road
Zionsville, IN 46077-1916

Description : A 30" diameter sewer line will be buried beneath Eagle Creek to an existing main lift station. A sanitary force main and sanitary manholes will be installed as well. The majority of the bore pits and other open cut installations will be restored to existing grade. Fill will be required for two manholes; backfill to pre-existing ground elevations will also be required. Details of the project are contained in information and plans received at the Division of Water on November 12, 2008.

Location : Beginning approximately 350' south of the State Road 334 (East Sycamore Street) and South 1st Street (State Road 334) intersection and extending 900' southeast and 900' west
near Zionsville, Eagle Township, Boone County
E½, E½, Section 2, T 17N, R 2E, Zionsville Quadrangle
Quad Code: 3908683
UTM Coordinates: Downstream 4422101 North, 563101 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25081

Stream : Muddy Fork

Applicant : Clark County Board of Commissioners
Hyun Lee
City County Building
501 East Court Street
Jeffersonville, IN 47130-4029

Description : A road rehabilitation project is proposed. The project includes approximately 4,500 linear feet of road rehabilitaiton which includes pavement widening, pavement resurfacing, and in some areas, road relocation with embankment fill. Work also includes widening the bridge over Muddy Fork (Indiana Department of Transporation Project No. 9910033). Details of the project are contained in information and plans received at the Division of Water on November 19, 2008.

Location : Beginning at the Columbus Main Road and Perry Crossing Road intersection and continuing west along Perry Crossing Road for approximately 4,500 linear feet
DOWNSTREAM: near Sellersburg, Carr Township, Clark County
Clark Military Grant #166, Spades Quadrangle
Quad Code: 3908531
UTM Coordinates: Downstream 4255307 North, 607189 East
UPSTREAM:
UTM Coordinates: Upstream 4254766 North, 605836 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25082

Stream : Buck Creek

Applicant : Delaware County Highway Department
Michael Denton, PE
7700 East Jackson Street
Muncie, IN 47303-9265

Description : The existing three-span concrete bridge carrying South Proctor Road over Buck Creek will be reconstructed. Specifically, riprap will be placed at the corners of the bridge, a new bridge deck will be constructed, the rail will be replaced, and the superstructure will be partially replaced. The low structure elevation will not change. Approximately 100' of roadway approach will be milled and overlaid with asphalt; guardrails will also be installed. Details of the project are contained in information and plans received at the Division of Water on November 20, 2008.

Location : At the South Proctor Road stream crossing over Buck Creek
near Muncie, Mount Pleasant Township, Delaware County
SW¼, SE¼, NE¼, Section 25, T 20N, R 9E, Muncie West Quadrangle
Quad Code: 4008524
UTM Coordinates: Downstream 4446335 North, 632294 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25084

Stream : East Fork White River

Applicant : Jackson County Water Utility Inc
Darrell Baker
1119 West Spring Street
PO Box 56
Brownstown, IN 47220-1037

Description : A 16" diameter ductile iron water main line will be placed beneath the East Fork White River to provide water transmission to the Jackson County Water Utility's distribution system north of the river. The line will be placed by the horizontal directional drilling (boring) method. It will have 10' of cover beneath the streambed and 10' in the banks. The line will not have an encasement for the section below the streambed. A 16" diameter ductile iron water main line will be buried beneath the floodplain of the East Fork of the White River from the Water Treatment Plant to the River. The line will have 4' of cover between the top of pipe and the ground surface in the floodway. One new water supply well will be constructed in the floodway of the East Fork of the White River, adjacent to the proposed new 16" water main described above. Two new structures will be constructed at the edge of the floodway, both in locations of previously existing buildings. The 750,000 ground level storage tank shall have a finished floor elevation of 3' above the 100-year flood elevation. One new Maintenance Building shall also be constructed with dimensions of 104' x 64'. Finished floor of the maintenance building shall be 3' above the 100-year flood elevation. Details of the project are contained in information received electronically at the Division of Water on November 25, 2008 and in plans and information received at the Division of Water on

Location : North of Spring Street (C.R. 100 North) from Jackson County Water Utility, Inc. office at 1119 W. Spring Street, then west across East Fork of White River to C.R. 225 West
at Brownstown, Brownstown Township, Jackson County
Section 10, T 5N, R 4E, Brownstown Quadrangle
Quad Code: 3808681

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25086

Stream : Ohio River

Applicant : Town of Newburgh Indiana
Cynthia E Burger
23 West Jennings Street
Newburgh, IN 47630-1211

Description : The scope of the project consists of construction of approximately 5 miles of trail running in an east-west direction along the north bank of the Ohio River beginning at Angel Mounds State Historic Site, through the town of Newburgh Indiana and terminating at the USACE Newburgh Locks and Dam facility. This section of trail is herein referred to as the Newburgh Rivertown Trail. The project is located in Section 1, Township 7 South, Range 9 West, Ohio Township, Warrick County, Indiana. Phase II begins at the Old Lock and Dam Park and runs along the south side of State Road (SR) 662. The trail diverts from SR 662 and runs along an old road bed until ending at the Newburgh Locks and Dam facility. The total length of Phase II is 2.54 miles. The trail will vary in width (10' to 12' wide) throughout the project to minimize right-of-way impacts and to avoid drainage structures, retaining walls, and buildings. The proposed trail will be constructed of asphalt. A few sections of will require resurfacing of existing pavement and concrete patching. The section of trail from approximately Jennings Lane to Orchard Lane will be placed on the existing pavement of SR 662, therefore; only minimal construction impacts will occur in this area. In addition, no trail construction will occur for a short section between Orchard Lane and Old Stonehouse Drive. Grass shoulders will be constructed in urban areas and one-foot stone shoulders will be provided in undeveloped areas. Phase II of the Newburgh Rivertown Trail is located in an area of steep side slopes along the Ohio River floodway. For this reason, footings will be installed in a few sections that extend below the 100-year flood elevation to provide a stable base for the trail. The maximum projection into the floodway will be approximately 12' with fill heights of no more than 6'. A preliminary analysis of the proposed construction indicates a reduction of less than 0.1% of the existing floodway will be incurred. The vertical alignment will be adjusted to meet specific ADA and AASHTO requirements; however the trail generally follows the existing terrain. A maximum grade of 5% is proposed for the project. Details of the project are contained in information received electronically at the Division of Water on November 25, 2008 and in plans and information received at the Division of Water on

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Location : Beginning at Angel Mounds State Historic Site, through the town of Newburgh Indiana, and terminating at the USACE Newburgh Locks and Dam facility. This section of trail is herein referred to as the Newburgh Rivertown Trail. The project is located in Section 1, Township 7 South, Range 9 West, Ohio Township, Warrick County, Indiana. Phase II begins at the Old Lock and Dam Park and runs along the south side of State Road (SR) 662. The trail diverts from SR 662 and runs along an old road bed until ending at the Newburgh Locks and Dam facility.
at Newburgh, Ohio Township, Warrick County
Section 1, T 7S, R 9W
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10
- Application # : FW-25087
- Stream : Little Buck Creek
- Applicant : *Indiana Department of Transportation
Richard L Phillabaum
100 North Senate Avenue, Room N642
Indianapolis, IN 46204-2216
- Description : The existing three span steel beam bridge carrying US 31 over Little Buck Creek will be replaced on essentially the same alignment. The structure will have an out to out length of 144.8' and a clear roadway width of 28'. The spill through abutments will have 2:1 side slopes armored with riprap over geotextile fabric. The abutment and piers will be skewed 30 degrees to align with the stream flow. The new approach roads will not be raised above the existing roadway approaches. The existing structure will be completely removed. INDOT Des No. 0100317. Details of the project are contained in information and plans received at the Division of Water on November 25, 2008.
- Location : US 31 stream crossing
near Indianapolis, Perry Township, Marion County
NE¼, SE¼, SW¼, Section 1, T 14N, R 3E, Maywood Quadrangle
Quad Code: 3908662
UTM Coordinates: Downstream 4392791 North, 572981 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25091

Stream : Ohio River

Applicant : Abengoa Bioenergy of Indiana LLC
Craig Kramer
16150 Main Cricle Drive, Suite 300
Chersterfield, MO 63017

Description : As part of a proposed ethanol plant portions of a new rail loop and an associated access road will be constructed in the floodway. Additional work includes the installation of (2) 9' diameter corrugated metal pipes and (1) 10' diameter corrugated metal pipe within the channel of Unnamed Tributary Ohio River to allow the proposed rail loop and access roads to cross the stream. Details of the project are contained in information and plans received at the Division of Water on October 15, 2008.

Location : Approximately 2200' south of the intersection of West Franklin Road and Darnell School Road
near West Franklin, Marrs Township, Posey County
E½, Section 23, T 7S, R 12W, West Franklin, IN-KY Quadrangle
Quad Code: 3708786
UTM Coordinates: Downstream 4194102 North, 436455 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25092

Stream : Elkhart River

Applicant : Noble County Board of Commissioners
Keith A Lytton
1118 East Main Street
Albion, IN 46701-1435

Description : The existing Noble County Bridge 70 carrying County Road 600 West over the Elkhart River will be replaced with a new structure on essentially the same alignment to improve traffic flow. The new structure will be a single-span composite, Prestressed Concrete Bulb-T Beam bridge with span length of 80'. The structure will have an out-to-out length of 28' 6" and a clear roadway width of 28'. The spill through abutments will have 2:1 sideslopes armored with 18" riprap. The abutments and piers will not need to be skewed to align with the streamflow. The new approach roads will not be elevated above the existing approaches. The existing structure will be completely removed. The project is 100% locally funded. Details of the project are contained in information received electronically at the Division of Water on November 26, 2008 and in plans and information received at the Division of Water on

Location : At the County Road 600 West river crossing
near Ligonier, Elkhart Township, Noble County
Section 25, T 35N, R 8E

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25093

Stream : Sand Creek

Applicant : Kent A Rollison
13364 Kimberlite Drive
Fishers, IN 46038-4819

Description : The existing steel beam bridge carrying residential driveway over Sand Creek will be replaced with a new structure on essentially the same alignment. The existing bridge steel is approximately 50 years old, badly deteriorated and in need of replacement. The new structure will be a single-span steel beam/concrete deck bridge with span length of 27' - 8". The structure will have an out-to-out length of 28' and a clear roadway width of 12' - 4". There will be no rip rap, only abutments skewed 23.02 degrees to align with the streamflow. The new approach roads will be elevated a maximum of 2.24' above the existing approaches. The existing structure will be completely removed. The cross-sectional area under the existing bridge is 95 sq ft, and the cross-sectional area under the replacement bridge will be 130 sq ft, an improvement of 36.8%. The project is not federally funded. Details of the project are contained in information received electronically at the Division of Water on December 1, 2008 and in plans and information received at the Division of Water on

Location : 11701 E. 136th Street, Fishers, IN 46038. First driveway west of 136th Street Sand Creek bridge (between Marilyn Road and Promise Road), on south side of 136th Street.
at Fishers, Fall Creek Township, Hamilton County
Section 28, T 18N, R 5E

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25097

Stream : Buck Creek

Applicant : Healthy Communities of Henry County
Jeff Ray
2700 Lakeview Drive
New Castle, IN 47362-8711

Description : Healthy Communities of Henry County, using funds from the Indiana Department of Natural Resources, proposes to construct the West Section of the National Road Heritage Trail on the abandoned Penn Central Railroad corridor from S. West Street to CR 425 West. The project corridor will cross over Buck Creek approximately 0.2 mile west of the east terminus, both of which contain floodways that fall under DNR's jurisdiction. The typical trail cross section will consist of two, 5-foot wide stone trail lanes bordered by 1' wide earth shoulders. The trail will be confined to the former railroad alignment, with minimal vegetation removal required as a result of local volunteer efforts to maintain the corridor. All existing railroad culverts and bridge structures will be retained, with no changes to existing side slopes along the corridor proposed. The trail will feature several amenities including a trailhead on the northeast corner of S. West Street and the trail corridor that has a gravel drive for parking, handicap accessibility, and paved walkway to access the main trail corridor. A second trailhead will be constructed at the trail corridor tie in on the west side of CR 425 West, including a gravel drive for parking and handicap accessibility, and paved walkway/trail to access the main trail corridor. Wood split rail fence will be installed on either side of the trail at the culvert/bridge crossing approaches. Details of the project are contained in information received electronically at the Division of Water on December 2, 2008 and in plans and information received at the Division of Water on

Location : Beginning at South West Street to County Road 425 West

The trail project is located on the former Penn Central Railroad corridor starting approximately 0.75 mile east of Knightstown near the intersection of South Street and Star Boulevard, and continues east approximately 2 miles along the railroad corridor to CR 425 West. The Buck Creek crossing is located approximately 0.2 mile west of CR 425 West.

near Ogden, Spiceland Township, Henry County
Section 36, T 16N, R 9E, Dunreith Quadrangle
Quad Code: 3908574

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25102

1 : Chapel Manor Lateral

Applicant : Town of Merrillville
Bruce Spires
13 West 73rd Avenue
Merrillville, IN 46410-3801

Description : The Town of Merrillville, using funds from the Indiana Department of Natural Resources, proposes to construct the C & O Trail on the abandoned C & O Railroad corridor from Taft Street (SR 55) to Broadway (SR 53). The typical trail cross section will consist of two, 5-foot wide bituminous trail lanes bordered by 2' wide earth shoulders. The trail will be confined to the former railroad alignment. The project corridor will cross over Chapel Manor Lateral, a tributary to Turkey Creek, approximately 0.25 mile northwest of the east project terminus, which contains a floodway that falls under DNR's jurisdiction. A new pedestrian bridge will be constructed over Chapel Manor Lateral to carry the C & O trail corridor across the stream. The new structure will be a single span prefabricated steel truss bridge with span length of 59'. The structure will have an out-to-out length of 61' and a clear roadway width of 10'. The existing abutments will be used for the bridge and they are skewed 0° to align with streamflow. Riprap will be placed above the ordinary high water mark in front of the abutments for erosion protection. Three existing interior piers will be removed during construction. The eastern pier to be removed has fallen into the stream, so is currently impeding the streamflow. The existing elevation of the approaches will be retained at this location and 2:1 H:V sideslopes will be graded in lieu of the three interior piers. The project will utilize a DNR grant for funding. Details of the project are contained in information received electronically at the Division of Water on December 3, 2008 and in plans and information received at the Division of Water on

Location : The project is located on the former C & O Railroad corridor starting on the east side of Taft Road (SR 55) and continuing to the southeast approximately 1.6 miles to Broadway (SR 53)

near Merrillville, Ross Township, Lake County
NE¼, Section 16, T 35N, R 8W, Crown Point Quadrangle
Quad Code: 4108743

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21201

Lake : Big Turkey Lake

Applicant : Joseph A Liechty
3230 Kenaston Drive
Fort Wayne, IN 46815-6311

Description : A new concrete seawall will be constructed across 40' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on November 19, 2008.

Location : 180 Lane 137; Lot 58 of Lake Shore Drive Third Addition
near Ashley, Salem Township, Steuben County
NW¼, NW¼, SE¼, Section 7, T 36N, R 12E, Stroh Quadrangle
Quad Code: 4108552
UTM Coordinates: Downstream 4605870 North, 651150 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21202

Lake : Lake Wawasee

Applicant : Emily Carter
3620 logamar Lane
Anderson, IN 46011-1822

Description : An existing 2' average deep 50' x 25' area in a dead end channel will be dredged out in a one step method with a hydraulic pump, to a maximum depth of 5' in the center of the channel tapered up to about 10' out from the sides to maintain boat traffic. All dredge material will be pumped to trucks and immediately hauled off site to an upland site for proper disposal. Details of the project are contained in information received electronically at the Division of Water on November 26, 2008 and in plans and information received at the Division of Water on

Location : 8028E North Road
near Syracuse, Turkey Creek Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21203

Lake : Big Lake

Applicant : John Stine
604 Oxford street
Fort Wayne, IN 46806

Description : A 30'x 20' underwater beach will be installed 6 inches thick using clean natural pea stone. The stone will be installed by pumping a uniform layer of gravel using a floating 3" discharge hose starting from the lakes normal waterline and extending 30' outward along the pier and 21' across the property frontage. Details of the project are contained in information received electronically at the Division of Water on November 26, 2008 and in plans and information received at the Division of Water on

Location : 3623 West Circle Drive
near Columbia City, Noble Township, Noble County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21204

Lake : Lake James

Applicant : Scott L Russ
Stephen J Shoda
6222 Vance Avenue
Fort Wayne, IN 46815-6262

Description : A new seawall will be constructed across 47' of the 47' frontage of the applicant along Lake James to deter shoreline erosion. The wall will consist of reinforced, poured in place concrete which will be sloped on the lakeward side. Each end of the wall will terminate on the existing concrete seawall on each adjacent lot. It will be approximately 40" high and will vary uniformly in thickness from 30" to 12" from the base to the top. The lakeward face of the wall will be the lake's legal shoreline. A 12" wide layer of glacial stone will be placed at the base of the wall for toe protection. Details of the project are contained in information received electronically at the Division of Water on December 1, 2008 and in plans and information received at the Division of Water on

Location : 580 Lane 440 Lake James
near Angola, Pleasant Township, Steuben County
Section 4, T 37N, R 13W

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21205

Lake : Big Turkey Lake

Applicant : David E Nickelson
1108 Pointed Reef Way
Fort Wayne, IN 46845-2055

Description : A new retaining wall will be constructed along the frontage of Lot 62 and 63 in Wildwood addition on Big Turkey Lake to deter shoreline erosion. The wall will be constructed on top of a concrete footer and composed of 8 inch high by 18 inches wide and 11 inches deep Mesa Standard Bevel Retaining wall bricks, with a tieback system for additional stability. It will be approximately 4 ft high and 85 ft long and will adjoin with an existing seawall located on adjacent property to the west. Its lakeward face will be 3 to 4 foot from waters edge. Clean fill will be brought onsite to backfill the area landward of the new retaining wall to level off with the existing ground elevation. Details of the project are contained in information received electronically at the Division of Water on December 1, 2008 and in plans and information received at the Division of Water on

Location : 60 Lane 137A , Big Turkey Lake

near Hudson, Salem Township, Steuben County
Section 7, T 36N, R 12E, Stroh Quadrangle
Quad Code: 4108552

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11